



Ya. N. Mutriskov

Oxidation of isopropylbenzene in a foam Ltd.
NEFTPERERABOTKA I NEFTKHIIMIYA, No 9, 1968, pp 39-41
NTC 78-10800-07A

may 78





Analysis of the Fuel System of the A-12/S
Desalting Section and Associated Desalting
Desalting Unit and Associated Desalting
Plant of the A-12/S Type
NEFDEPERERAB. NEFDEPERERAB. (November 1971, No. 2,
pp. 45-7.
A.T.S. RC-5566

Tanatarov, N. N. et al.

The Role of Sulfuric Acid in the
Polymerization of Ethylene and
Ethyl Acrylate in the Presence of
Sulfuric Acid and Ethyl Acrylate

NEFTEPERERAB. (REF. J. 1971, No. 1, pp. 3-6)

A.T.S. RJ-3849

ADDITIONAL INFORMATION
SPECIAL AGENT IN CHARGE
SIRAT JYUNG IS A MEMBER OF THE
ALGER PETROCHEMICAL COMPANY, AND A
NETTEPEREPAS. NETTEPEREPAS, 1971, No. 5,
pp. 43-44.
A.T.S. RJ-5842

Rheological Characteristics of Greases and the Main
Principles of Their Movement in Tubes, by

A. I. Natorchevskiy, 12 pp.

NEFTEPERERABOTKA I NEFTEKHIMIYA, RESPUBLIKANSKIY
MEZHVEDOMSTVENNIY SBORNIK, No 4, 1971, pp 81-89.

ARM/FSIC, HT-23-248-73

May 73

Koshelev, V. S.

Experimental determination of the equilibrium
conditions of hydrate formation of an ethylene-
ethane mixture.

НЕФТЕПЕРАБОТКА И НЕФТЕХИМИЯ, n. 8, 1971,

p. 24-26

NTC 73-11416-07D


Nazarov, V.


Mathematical description of the formation of acids and deposits on engine pistons and rings in oils of various hydrocarbon composition.

NEFTEPERERABOTKA I NEFTEKHIMIYA, n. 11, p. 14-17, 1971


TC-12718

SONOLINA, L. F.
//ИЗВЕЩЕНИЕ РАБОТЫ И РЕЗУЛЬТАТЫ//
---/1972, V---, N0003,
Investigation of the Solubility of Ethyl Mercaptan
in Alkali Solutions Containing Different Additives,
PP 00.47, NTC 74-10631-07A08





KATLIN, MA. A.
/NUTRIENT RABOTKA I NUTRIENT MIYA//
--/09/1974, N----, H0009, pp 0005-0007
Oil Refining Waste Waters Purified Biochemically
5 pp
JPRS 62526
4



HAMEDOV, M. F.
//NEFTENNERERABOTKA I NEFTENKIMIA. MOECOM//
--/--/1978, V----, NO003,
The Preparation of Water-Soluble Polymers Based
on an Acrylonitrile Polymer,
PP 37-39, NTC 74-10470-11100

Koznakin, S.V.

Statistical Study of Oil Recovery from the
Fields of the Ural Volga District in the Late
Stages of Exploitation.
NEFTEPROM. DELO, 1972, No.7, pp.6-11.

A.T.S. ROEGB 979

Shustev, I.N. et al

Changes in the Effective Thickness of a Formation and Their Effect on the Productivity of Producing and Injection Wells (On the Example of Fields in the Perm District).

NEFTEFROM. DELO, 1972, No.7, pp.12-17.

A.T.S. ROEGB 980

Vagapc , Yu. G.

The Problem of Choosing the Pumping Conditions
for ~~Down~~hole Pumping Units Run on Hollow Rods.
NEFTEPROM. DELO, 1972, No.7, pp.17-19.
A.T.S. RD&GB 981

Khusainov, R.S. et al

Field Studies of the Effect of the Screwing
Torque on the Life of the Threaded Connections
of Downhole Pump Rods.

NEFTEPROM. DELO, 1972, No.7, pp.21-5.

A.T.S. ROECB 983

Sattar-Zade, S.D. et al

Determination of the Transmission Capacity
of Cement-Sand-Salt Filters.
NEFTEFROM. DELO, 1972, No.7, pp.29-31.

A.T.S. ROEGB 985

Kaplan, L.S.

Protection of Downhole Centrifugal Electrical-
ly Driven Pumps from Water.
NEFTEPROM. DELO, 1972, No.8, pp.4-6.

A.T.S. RO&GB 988

Rastorguev, M.A. et al

Prevention of Blowouts (Uncontrolled Flows)
in Subsurface Well Repair.

NEFTEPROM. DELO, 1972, No.8, pp.9-12.

A.T.S. ROEGB 990

Kostiyukov, G.V. et al

Experimental Arrangement for Determining the
Effect of a Magnetic Field on the Crystalliza-
tion and Deposition of Salts.

NEFTIPROM. DELO, 1972, No.8, pp.13-16.

A.T.S. ROEGB 991

Nizamov, K.R. et al

Preparation of Waste Waters Containing Iron
Salts for Flooding Productive Formations.
NEFTEPROM. DELO, 1972, No. 8, pp. 16-19.

~~A.T.S. R06GB 992~~

Koryagin, Yu.G.

Estimation of the Condition of the Bottom Hole
Zone of a Formation with the Aid of a Formation
Tester.

NEFTEPROM. DELO, 1972, No.8, pp.19-22.

A.T.S. RO&GB 993

Li, A.D.

The Advisability of Separate Purification Oil
Field Waste Waters for Infection to the Re-
servoir.

NEFTEPROM. DELC, 1972, No.8, pp.22-5.

A.T.S. RO&GB 994

Saakov, Yu.A.

A Study of the Types of Statistical Relationships of Downhole Rod Pump Failures.

NEFTEPROM. DELO, 1972, No.8, pp.25-7.

A.T.U. RO&GB 984

Intyashin, A.D.

Experience in Preparing Crudes in SF-1000 Separator-Preheater Units In the OSA Field.
NEFTEPROM. DELO, 1972, No. 3, pp. 25-8.
A.T.S. RO&GB 995

Sattarov, U.G. et al

Thermophysical Properties of Crudes and water-
Oil Emulsions of Tatory.

NEFTIPROM. DELO, 1972, No.8. pp.28-31.

A.T.S. ROEGB 996

Isanbayev, A.G. et al

Finding the Causes of High Dissolvan Consumption in the Preparation of Carbonaceous Arlan Crudes.

NEFTIPROM. DELO, 1972, No.8, pp.31-6.

A.T.S. ROEB 997

Stepkin, V. I.

Exploration for Petroleum and Gas in the Ukraine
in 1973.

5 pp

~~NEFTIANAYA I GAZOVAYA PROMISHLENNOST'~~, Kiev,
No 1, Jan-Feb 1973, pp 1-3.

JPRS 60105

Vorobanovskiy, I. F.

Superhard 'Slavutich' Drill Bits: Prove Them-
selves in Ukraine.

7 pp

~~NEFTYANAYA I GAZOVAYA PROMyshLENOST'~~. Kiev,
No 1, 1973, pp 15-17.

JPRS: 60190

Vitrik, S. P.

Geologic-Prospecting Work for Oil and Gas
Reserves in the Ukraine.

7 pjs

NEFTYANAYA I GAZOVAYA PROMISHELENNOST', Kiev, No
2, Mar-Apr 1973, pp 1-5.

JPRS 59633

Vitrik, S. P.

Evaluation of the Results and Further Trends in
Geological Exploration Work For Petroleum and Gas
in the Ministry of Geology Ukrainian SSSR.

6 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST'. Kiev, No 2,
Mar-Apr 74, pp 1-4.

JPRS 52909

Tkach, V. F.

Competition to Increase Ukrainian Natural Gas
Recovery.

5 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev, No 3,

May-Jun 74, pp 45-48.

JPRS 63030

NORTHERN AND WINTER OILS FOR DIESEL ENGINES

BELYAVCHIKOV, G LANGUAGE--RU COUNTRY--UR

NEFTYANIK, NO. 6 1972, PP. 11-13

FSTC-HI-23-1542-73

Bray, I.

Collection of Re-Usable Oil Products in the
RSFSR Described.

6 pp

NEFTYANIK, Moscow, No 5, May 1973, pp 8-10

JPRS 59408

Filippov, N.

Oil-Well Fire Simulated Realistically for Study
Purposes.

5 pp

NEFTYANKA, Moscow, No 7, July 1973, pp 34-36.

JPRS 59876

Saizimov, V.

The Petroleum Industry of the Nation is on the
Rise.

12 pp

NEFTYANIK, Moscow, No 9, Sept 1973, pp 1-5.

JPRS 65748

RUSSIAN

CRO: 8114/1488
13 Feb. 1974*Cont. file
RES-6154
12/70*
Petroleum Specialist, by A. Amiyen, V. Vasil'yev,
et al.Moscow, Neftyanik, Jan. 1974, No 1, pages 4-6, 8-11,
29, 36-39.

Please publish

Zaytseva, R.

Competition Among Petroleum Workers.

6 pp

NEFTYANIK, Moscow, No 2, Feb 1974. pp 1-3.

JPRS 61689

Smirnov, V.

Minister of Petroleum Industry Comments on Future
Prospects.

6 pp

NEFTYANIK, Moscow, No 3, Mar 74, pp 3-6.

JPRS 62368

Shadrin, L.

Moscow Exhibit of American Oilfield Equipment.

5 PP

PRITVANKA, Moscow, No 3, Mar 1974, pp 21-23.

JPRS 62354

Conference of Petroleum Industry Workers.
9 pp

NEFTYANIK. Moscow, No 4, Apr 74, pp 1-4.

JPRS 62298

Development of the Soviet Petroleum Industry.

8 pp

NEFT'NIK, Moscow, No 5, May 74, pp 1-4.

JPRS 62376

Petroleum Production and Plans Discussed.
9 pp

NETTANIK, Moscow, No 6, June 74, pp 2-3.
JPRS 62518


Semerikov, V.

Tatar-Tyumen' Oilfield Competition for 1974
Described.


5 pp


NEFTYANIK, Moscow, No 7, Jul 74, pp 1-2.
JPRS 62935


1/12/1998
Approved for Release by NSA on 08-12-2013 pursuant to E.O. 13526
Reserves in Forwarding
UP 40-46, NYC 74-80059-1810



Selection of Cuban
mining facilities of
External Pressure
NEFT. KH02. Vol. 46. No. 2. pp. 14-17, 1968.
A.T.S. RJ-5985







Vaskko, I. A.

Study of the interaction between a non-rotating stepped drill string and the bottom and walls of the well.

NEFTYANOE KHOZYAISTVO, v. 49, n. 8,

p. 7-10, 1971.


ATS 79A129R


Simin, E. M.

Calculation of temperature, pressure, and
saturation in a fractured reservoir subjected to
steam injection.

NEFTYANOE KHOZYAISTVO. v. 49, n. 8, p. 46-48, 1971.

ATS 82A129R





Korshunov, E.S. et al

Automated System of Drilling Control.

NEFT. KHOZ. Vol. 50, 1972, No.7, pp.1-6.

A.T.S. ROGB 809

Timofeyev, N.S.

Predicting Possible Drilling Parameters.
NEFT. KH02. Vol. 50, 1972, No. 7, pp.1-8.
A.T.S. RO6GB 829

Matros, V.N.

The Spread of Water in Partially Invaded Gas
Reservoirs on a Reduction in Pressure.

NEFT. KHOZ. Vol. 50, 1972, pp.7-11, No.7

A.T.S. ROEGB 889

Zemskov, G.V.

The Fatigue Limit of Drill Pipe of Strength
Group D Under Complex Loading.

NEFT. KHOZ. Vol. 50, 1972, No.7, pp.9-11.

A.T.S. ROEGB 11

Simonyants, S.L.

Analytical Determination of the Optimum Parameters of the Turbine of a Turbodrill with Slanted Pressure Lines,
NEFT. KHQZ. Vol. 50, 1972, No. 7, pp.11-13.
A.T.S. ROEGB 812

Tsybin, A.A.

The Stressed State of Oval Casing and Cement
Ring in Gas Wells.

NEFT. KHZ. Vol. 50, 1972, pp.11-14, NO.7

A.T.S ROGB 890

Rudavskiy, I.E.

The Economic Effectiveness of Ball Thrust-Ra-
dial Multirow Bearings for Turbodrills.
NEFT. KHQZ. Vol. 50, 1972, No. 7, pp.14-16.
A.T.S. RO&GB 813

Durmish'yan, G.A.

Withdrawal of condensate During the Creation
of Underground Gas Storage Facilities in De-
pleted Gas Condensate Reservoirs.

NEFT. KHQZ. Vol. 50, 1972, No.7, pp.17-19.

A.T.S ROGB 891

Tsybin, A.A.

Study of the Stressed State of Oval Pipe Under
External Hydrostatic Pressure.
NEFT KHOZ. Vol. 50, 1972, No. 7, pp.13-21.
A.T.S. RO&GB 815

Loksin, V.Sh

The Proper Shape of Rubber Packing Elements
in Packers.

NEFT. KHQZ. Vol. 50, 1972, No. 7, pp.21-3.

A.T.S. ROGB 316

Khanin, I.L. et al

Principal Directions in Improving the Engineering of Oil Field Exploitation in the Kuibyshev district.

NEFT. KHQZ. Vol. 50, 1972, No. 7, pp.24-30

A.T.S. RO&GB 817

Stepanov, G.S.

Effect of Various Factors on the Recovery Factor for Condensate from a Formation under Gas Injection.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.30-33.

A.T.S. ROEGB 818

Blazhevich, V.A. et al

The Effectiveness of Controlling the Process
of Recovery from Productive Formations.

NEFT. KHQZ. Vol. 50, 1972, No. 7, pp.33-7.

A.T.S. R)GB 819

Levchenko, I.A. et al

A Set of Geophysical Methods for Monitoring
the Injection of High-Pressure Enriched Gas
in the Klyuchev Field.
NEFT. KHOZ. Vol. 50, 1977 No. 7, pp.37-42.
A.T.S. ROEGB 820

Bokserman, A.A. et al

Analysis of the Exploitation of Pools of High-Viscosity Crude in the Okha Field Using Thermal Stimulation.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.42-7.

A.T.S. RO&GB 821

Tsynkova, O.E.

Lifting Fluid from Wells Using the Resonance
Properties of the Fluid Column.

NEFT. KHOZ. Vol. 50, No. 7, pp.47-51.

A.T.S. ROEGB 822

Zhukov, G.V.

Selection of the Point of Attachment of the
Pump to the Injection Collector,
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.52-4
A.T.S. ROEGB 823

Dzhafarov, Sh.T. et al

Experience with Adopting Separate Production
in the Uzen Field.

NEFT. KHOZ. Vol. 56, 1972, No. 7, pp.62-5.

A.T.S. ROEGB 827

Voronov, V.N. et al

Suppressing and Bringing in Wells Under Con-
ditions of Reduced Reservoir Pressures.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.5-8.

A.T.S. ROEGE 893

Sementsov, G.N.

Field Study of the Change in Intensity of Bit
Wear on Power Consumption in Time.

NEFT. KHOZ. Vol. 50, 1972, No.8, pp.8-9

A.T.S. RO&GB 830

Solodkiy, K.M. et al

Design of the Bottom Assembly of the Drill
String to Prevent Hole Deviation in Rotary
Drilling.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.10-15

A.T.S. ROGB 831

Kirillov, A.G. et al

Change in Drilling Rate as a Function of Bit
Type.

NEFT. KHQZ. Vol. 50, 1972, No.8, pp.18-21.

A.T.S. ROEGB 839

Il'yasov, E.P. et al

Effectiveness of Mud Displacement from Cavi-
ties.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.24-8.

A.T.S. ROGB 838

Mincheva, R.M. et al

Experimental Injection of Water in the Dolni
Dybnik Field in Bulgaria.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.37-40.

A.T.S. RJGB 838

Mirchink, M.F.

Magnitude of the Volumes of Water Injected
into Inhomogeneous Reservoirs in the Third
Stage of Oil Pool Exploitation.

NEFT. KHQZ. Vol. 50, 1972, No. 8, pp40-3.

A.T.S. RO&GB 839

Zhuravlev, I.G.

Calculation of the Reliability of a System
of Gas Wells with a Combination of Failures
and Failures with Restoration.
NEFT. KHQZ. Vol. 50, 1972, No.8, pp.42.
A.T.S. RQGB 894

Surguchev, M.L.

Optimum Operating Conditions of Injection
Wells During Flooding.
NEFT. KHQZ. Vol. 50, 1972, No. 8, pp.46-9.
A.T.S. RO&GB 841

Kuchernyuk, V.A. et al

Processes for Automatic Monitoring of the
Technological Parameters of Oil Wells.
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp. 50-3.
A.T.S. ROEGB 842

Leibin, E.L. et al

Some Reasons for the Productivity Decrease of
the Wells in the Uzen Field,
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.53-6.
A.T.S. ROEGB 843

Nechval, M.V. et al

Mixture Formation in the Successive Pumping
of Petroleum Products of Different Viscosity.
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.57-8.
A.T.S. ROEGB 844

Gubin, V.E.

Transition from Non-Newtonian to Turbulent
Flow in the Flow of Viscoplastic Liquids in
Pipes.

NEFT. KHOZ. Vol. 50, 1972, No.8, pp.59-62.

A.T.S. RO&GB 845